PUNJAB AGRO

# Punjab Agri Export Corporation Limited

**Plot No. 2-A, Sector: 28-A, Madhya Marg, Chandigarh 160002**
**Ph: 0172-2656242, 5074210, Fax: 0172-2656270**
**Website: www.punjabagro.gov.in & CIN No. U51909CH1997SGC019321**

## Detailed Notice Inviting Tender

Punjab Agri Export Corporation Limited (PAGREXCO) invites online bids from reputed & experienced Company/Firm/Contractor/Bidder for the Construction of RCC Precast/Pre-stressed compound boundary wall along with Concertina Wire in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab.

Detailed Notice Inviting Tender (DNIT) including terms & conditions and technical details can be obtained from e-tendering website http://eproc.punjab.gov.in and from Punjab Agro website i.e. www.punjabagro.gov.in on payment of Rs. 10,000/- (Rupees Ten thousand only) non-refundable, for participating in the e-tender.

Complete tender offers along with the Earnest Money Deposit (EMD) of Rs. 5,00,000/- (Rupees Five Lakh only) will be accepted online only latest by 17.11.2026 up to 11.30 A.M. A pre-bid meeting will be held on 03.11.2026 from 11.00 onwards.

For any portal related clarifications & difficulties in e-tendering process, please contact the helpdesk numbers 0172-2970263, 2970284, 91-6284884511. For any technical clarification in tender, Chief Executive Officer (PAGREXCO) may be contacted over phone no. 0172-5074210 or by writing a mail to gm.pagrexco@punjab.gov.in .

Managing Director, PAGREXCO reserves the right to reject any or all proposals/offers without assigning any reason thereof.

Corrigendum, if any, will be issued on website only.

**Managing Director**

PUNJAB AGRO

# Punjab Agri Export Corporation Limited

**Plot No. 2-A, Sector: 28-A, Madhya Marg, Chandigarh 160002**
**Ph: 0172-2656242, 5074210, Fax: 0172-2656270**
**Website: www.punjabagro.gov.in & CIN No. U51909CH1997SGC019321**

## Terms and Conditions

### A. General Terms & Conditions:-

Online Tender Offers For: Construction of RCC Precast/Pre-stressed compound boundary walls along with Concertina Wire in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab.

The tenderer shall have to get themselves registered with http://eproc.punjab.gov.in and get user ID and password. Class-3 Digital Signature Certificate (DSC) is mandatory to participate in the E-tendering process.

1. The interested bidders have to share the documents, etc. as per proposed layout in the online tender only. The document pertaining to above details should be scanned and uploaded in the e-tendering website at the time of online tender submission.

2. The prices would be FOR site and inclusive of all taxes, duties if any, GST, freight, loading/unloading and installation charges etc., and have to be submitted through financial bid on e-proc portal only.

3. The rates should be valid upto one year.

4. The boundary wall along with all other required components would be constructed/installed at the risk and cost of the bidder.

5. The boundary wall, its components & structure should be warranted for 12 calendar months from the date of commissioning.

6. The installation of concertina wire should be spiral type using Y-shaped brackets.

PUNJAB AGRO

7. The payment terms are as follows:-

   a. 20% payment of total work shall be released as mobilization advance against submission of an Irrevocable Bank Guarantee.

   b. The ongoing due payment during construction will be released on monthly basis against submission of bill, subject to verification of work being conducted by PAGREXCO field (technical) team.

   c. The balance 10% will be released after final inspection of the work by PAGREXCO technical team after checking the quality of work as per DNIT.

8. The statutory deduction shall be made as per rule.

9. Earnest Money deposit shall be released after three months of successful completion of the boundary wall.

10. The time period for construction of RCC Precast/Pre-stressed compound boundary walls along with Concertina Wire should be as per drawing, structure and lay-out and should be completed within 06 months time period in all respects after issuance of work order/ release of advance payment.

11. In case of delay in commissioning, a penalty @ 0.5% of the balance work per week up to 01 months will be imposed and total penalty will not increase more than 2% of the balance work. In case work still remains incomplete after the expiry of 03 months after imposing 02% penalty per month, PAGREXCO may terminate the work order after imposing 10% liquidated damages of balance work.

12. If the site is not cleared from PAGREXCO's side, the penalty will not be imposed on the successful bidder as per above mentioned clause.

13. Before quoted the rates for execution of RCC Precast/Pre stressed compound Boundary wall, tenderers are advised to visit the site at their own

cost/responsibility to acquaint themselves with site conditions for quoting genuine and workable rates as per the details given in the commercial bid.

14. Material used for RCC Precast/Pre-stressed compound Boundary walls should be of 1st class.

15. Complete drawing/layout of boundary wall along with required material clearly mentioned each and every component as per technical specification and drawing are placed at **Annexure – I**.

16. The underground or overhead arrangement for laying-out of electrical cables/wires if required has to be made by the tenderer.

17. Scope of work also includes supply, installation, commissioning of all work as per project requirement for setting up of pre-cast boundary wall and installation of concertina wire.

18. Financial bid of only those bidders will be opened who will upload/ submit the above-mentioned documents with tender document and technically qualify.

19. All the rates related to each and every work related to project should be less than CPWD/PWD rates.

20. Quantum of work can be increased or decreased and any item of work can be deleted, if required.

21. The successful bidder shall make its own arrangements for the required labour for execution of the work. PAGREXCO shall not be liable to pay any wages, remuneration, or other charges to the labour engaged by the bidder.

22. The successful bidder shall comply with all applicable labour laws, rules, and statutory provisions in force in the State of Punjab and shall be solely responsible for obtaining and maintaining all required registrations, licences, and compliances.

23. The successful bidder shall make its own arrangements for electricity and water required for execution of the work at site. No electricity or water shall be provided by PAGREXCO, and all associated costs shall be borne by the bidder.

24. The successful bidder shall submit valid test certificates for all construction materials used in the execution of the pre-cast boundary wall, as and when required by PAGREXCO.

**25. Inspection Works:-**

a) PAGREXCO shall have full authority to inspect the works at any time and at any stage. The tenderer shall provide adequate facilities to carry out the inspection work. The tenderer or an authorized representative should be present itself during the inspection so that the consultant can convey the instructions regarding the works.

b) The tenderer shall give information to PAGREXCO before covering up the works so that the same can be inspected jointly.

c) If the tenderer fails to get the work inspected before covering it up, then PAGREXCO has full authority to get the work uncovered at the expenses of the tenderer and if any fault is found then the same should be rectified by the tenderer without claiming any extra payment.

d) If any work executed by the supplier is found to be of bad workmanship, then the same is to be dismantled and re-executed by the contractor without claiming any extra payment or extension in time period.

e) If the supplier or his authorized representative fails to follow the instructions given by PAGREXCO regarding any of the works, then the same be got executed by other persons employed by the owner and the expenses incurred shall be borne by the supplier.

f) If any discrepancy occurs between the various instructions conveyed to

supplier or his authorized representative or if any misunderstanding arises between the supplier staff and owner's staff, the supplier shall report the matter immediately to PAGREXCO. The decisions of PAGREXCO shall be final and binding. Moreover, no claims for losses due to discrepancies between instructions, doubts or misunderstandings shall be admissible.

g) If, for any work, no specification has been given in the tender documents, then the work will be executed as per the IS standard/specifications, and if the work is not covered by IS standard/ specifications also, then it should be executed as per standard practice, subject to approval of PAGREXCO.

h) The supplier shall agree for testing works as mentioned in the specifications of various items of works involved in the project (wherever required).

i) If the various tests prescribed in the specifications at specified intervals for ascertaining the quality of the work done prove unsatisfactory, PAGREXCO shall have the authority to instruct the supplier to re-execute the work done or make alternations as per the orders of the owner/consultant.

**26. Eligibility Criteria:-**

a. The annual turnover of the Company/Firm/Contractor/Bidder should not be less than Rs. 10.00 (Ten) crore cumulative for the last three financial year i.e. 2022-23, 2023-24 & 2024-25. A certificate in this support certificate should be submitted duly attested by CA.

b. Copy of valid enlistment/empanelment with PWD (B&R) Department, Punjab Mandi Board, CPWD or any other departments (Central/State) under appropriate class and category of work. The bidder has to submit the valid/current empanelment/enlistment document.

c. The Company/Firm/Contractor/Bidder has to submit the minimum 5 work orders executed in the last three years i.e. 2022-23, 2023-24, and 2024-25,

for the execution of "Construction of RCC Precast/Pre-stressed compound walls" or "RCC bricks boundary wall" of value more than Rs. 25.00 Lakh per project. Minimum five such work orders should be submitted. The copy of Purchase Orders issued in the name of Company/Distributor/Supplier/ Bidder along with Performance Certificate from the purchaser shall also be submitted.

d. The Company/Firm/Contractor/Bidder should not be blacklisted/barred in any manner by any Centre Government/State Government/PSU/ Government Bodies (Certificate signed by the Authorized signatory) and will have to submit undertaking on non-judicial paper of Rs. 100.00 along with this tender. If bidder/company/distributor/supplier/ manufacturer is blacklisted then they are not eligible to participate in this tender.

e. Preference should be given to those Company/Firm/Contractor/Bidder those who are already working in Chandigarh, Punjab for smooth and early implementation of work.

f. Registration Certificate of the company/firm/contractors to be attached.

g. GST Number. copy of GST registration

h. PAN: Copy to be enclosed.

i. Technical specifications are mentioned in **Annexure – 'I'**.

27. The Company/Firm/Contractor/Bidder shall comply with all labour laws and PAGREXCO shall not be responsible for it violating any labour laws.

28. It shall be the responsibility of the successful bidder to use good and latest the machinery/equipment for construction of pre-cast boundary wall; otherwise it shall be treated as a non-performance on the part of the vendor for penalty.

29. In case of delay due to force majeure, the affected period may be extended by

the authority of deemed fit. It is on sole discretion of PAGREXCO.

30. In case of any disputes/differences of opinion related to this Tender Bid or its interpretation, the decision of Managing Director, PAGREXCO shall be final and binding on the parties/successful bidder.

31. All disputes will be subject to Chandigarh jurisdiction.

32. PAGREXCO reserves the right to accept or reject any Bid, and to cancel the Bidding process and rejects all Bids, at any time prior to the award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Employer's action. Further employer through its authorized representative has right to alter quantity of even delete/introduce new item at any stage of the project.

33. Bidder shall furnish sufficient proof of equipment complying with technical specifications mentioned in this section, failing this bid will be rejected.

ACCEPTED
**(Signature of authorized person)**
(Stamp)

PUNJAB AGRO

# Punjab Agri Export Corporation Limited

**Plot No. 2-A, Sector: 28-A, Madhya Marg, Chandigarh 160002**
**Ph: 0172-2656242, 5074210, Fax: 0172-2656270**
**Website: www.punjabagro.gov.in & CIN No. U51909CH1997SGC019321**

## Technical Bid

**Scope of Work:-**

Construction of RCC Precast/Pre-stressed compound boundary walls along with Concertina Wire in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab as per technical specifications.

Pre-bid meeting date and time : 03.11.2026 at 11.00 A.M. onwards.

Last date and time of bid submission : 17.11.2026 up to 11.30 A.M.

Date and time of opening of technical bid : 17.11.2026 up to 02.30 P.M.

Date and time of opening of commercial bid : To be fixed after evaluation of technical bids.

From:-
M/s _____

_____

_____

Phone No. _____
Email _____
Mobile No. _____

Website _____

To,

The Managing Director,
Punjab Agri Export Corporation Limited, 2-A,
Sector 28-A, Madhya Marg, Chandigarh-160002, India.

Dear Sir,

Reference your advertisement in (Name of News Paper) dated _____ & corrigendum dated _____.

1. I/we hereby submit an offer for the construction of RCC Precast/Pre-stressed compound boundary walls along with Concertina Wire in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab per technical specifications.
2. All the construction material is as per 1st class.
3. Price bid in prescribed format is submitted.
4. Prices are inclusive of all taxes/ GST, duties if any, freight, loading, unloading and installation charges etc. and FOR at site.
5. The technical specifications are as per enclosed **Annexure 'I'.**
6. I/we have thoroughly examined and understood the enclosed terms & conditions of the tender issued by PAGREXCO.
7. I/we have remitted the cost of tender from Rs. 10,000/- (Rupees Ten Thousand only) & Earnest Money deposit of Rs. 5,00,000/- (Rupees Five Lakh only) online.
8. My/our particulars are as follows:-
   a. Name
   b. Complete Postal Address
   c. GST no.
   d. EPF/ESI Code
   e. PAN
   f. Registration Certificate of the Manufacturer /Distributor/ Authorized dealer of company.
   g. Annual Turnover certificate with Balance Sheet for last three financial years issued by Chartered Accountant
   h. Copy of the IT Returns for last three financial years.
   i. Name & address of the companies/parties where boundary wall or similar work along with its other components have been supplied, installed and commissioned with Performance Certificates/statement.
   j. Phone No
   k. Mobile No.

l. E-mail ID

m. Website

9. The construction of boundary wall along with concertina wire with required civil, electrical & other miscellaneous work shall be installed and commissioned by the tendered under the supervision and guidance of the qualified and technical personal of tenderer up to the satisfaction of PAGREXCO.

10. In case the tendered is Authorized Supplier/ Distributor, an undertaking/certificate issued by their principle Manufacturer/Supplier that in case dealership/distributorship is withdrawn after supply than the principle Manufacturer/Supplier will be responsible for Guarantee/Warranty/AMC (**Annexure – III**) uploaded.

11. Copy of Certificate of Registration of TIN/TAN/PAN/GST uploaded.

12. Each page of the tender documents & other enclosure as well as cutting (s) overwriting(s) have been signed by the tenderer & also forwarding letter duly signed by the authorized signatory, has been submitted.

13. Copies of drawings/layouts etc. of each structure along with details regarding other requirements and quality/standard of boundary wall should be furnished along with the tender.

14. PAGREXCO reserves the right to reject any tender in complete in any respect and to make any amendments in the quantity/quality at any stage.

15. I/we hereby further declare and affirm that we have carefully gone through the terms & conditions laid down by the PAGREXCO and I/we shall abide by these conditions. Copy of terms & conditions attached with this tender form has been duly signed and stamped on each page as a token of acceptance of the terms & conditions.

16. I /we have thoroughly examined and understood the enclosed terms & conditions of the tender issued by PAGREXCO.

17. Conditional tender shall not be accepted.

18. I/we hereby declared that the entries made in this tender form are correct to the best of my/our knowledge and belief.

ACCEPTED
**(Signature of Authorized Person)**
Stamp)

***Enclosures**: As above.*

## Annexure – 'I'

- **Technical Specification for Construction of RCC Precast/Pre-stressed Compound Boundary Wall:-**

Specification for Construction of RCC Precast/Pre-stressed compound boundary wall along with Concertina Wire in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab.

These specifications establish and define the materials and constructional requirements for civil engineering construction works in brief.

**Equivalency of Standards & Codes, Measurements and Materials:**

1. Wherever reference is made in the contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply. In case, no reference is made for any particular work, relevant IS /BIS Codes will be followed.

2. Providing and operating necessary measuring and testing devices and materials including all consumables are included in the Scope of Work. No separate measurement or payment for testing the work shall be made but rates quoted for various items shall be deemed to include cost of such tests, which are required to ensure achievement of specified quality.

3. All materials shall be of standard quality, manufactured by renowned concerns, conforming to Indian Standards and shall have certification work from Bureau of Indian Standards. The contractor shall furnish manufacturer's certificates, for materials supplied by him when asked for. Further to that he shall get materials tested from an approved Test House, if asked for by the Department. The cost for all the tests and test certificates shall be borne by the Company/Contractor/ Party. No separate payment shall be made for the testing. The PAGREXCO shall have the right to determine whether all or any of the materials are suitable. Any

materials procured or brought to site and not conforming to specifications and satisfaction of the PAGREXCO shall be rejected and the Company/Contractor/ Party shall have to remove the same immediately from site at his own expense and without any claim for compensation due to such rejection.

4. All goods and materials to be incorporated in the works shall be new, unused, of the most recent or current models and incorporate all recent improvements in design and materials, unless provided otherwise in the contract.

5. Wherever referred to in this offer document, only the latest revision of Specifications, Codes of Practice and other publications of the Indian Standards shall be applicable.

- **Work Specifications:**

1. Site Clearance: Before the work is started, the area coming under cutting and filling shall be cleared of shrubs, rank vegetation, grass, brushwood, trees and sapling of girth up to 30cm. measured at a height of one meter above ground level and rubbish removed outside boundary. The roots of trees and saplings shall be removed to a depth of 60 cm. below ground level or 30 cm below formation level whichever is lower and holes or hollows filled up with the earth, rammed or levelled.

2. Pre-stressed compound wall panel used shall have compressive strength not less than 30 MPa. Other specifications shall be as per IS Specifications.

3. Concrete work: All mixed design concrete shall be executed by Mechanical mixture or Concrete Batch Mix Plant of suitable capacity. If at any stage of the work, during or after placing the concrete in the structure the work is found defective such concrete shall be removed and work be done with fresh concrete and adequate Company/Contractor/Party. The rigid forms at the cost of the Company/ Contractor/Party shall be liable to bear the cost for the cement concrete thus dismantled. The construction work shall be done with proper and assured system of curing duly identified areas with dates marked in paint. In hot weather the Company/Contractor/Party shall take relevant care to cover the

work with wet gunny bags/hessian cloth or use continuous ponding of water on surface so as to keep the surface wet.

4. Fine Aggregates Coarse sand of approved quality conforming to relevant IS code shall be used as fine aggregate. For cement concrete, and concrete of any other type, sand / quarries dust shall be cleaned and absolutely free from dirt and no other deleterious material shall be permitted.

5. The coarse aggregate which may be either stone ballast or stone chips as directed, should be well graded and preferably machine broken and should conform to PWD Specifications and /or relevant IS code and should be obtained from approved quarries. The stone should be free from soft thin elongated or laminated or decayed particles. The aggregates should be free from dust.

6. Form work and shuttering for cement concrete in footing the Water proof plywood /steel, etc. should be used. The steel plate should have smooth surface and should be free of bulge during the concreting. The entire shuttering should be water proof and conform to relevant IS Code. If however, the Company/ Contractor/Party want to use wooden shuttering, he will have to use new planks and scanting, for fabrication of such shuttering so as to ensure smooth and leak proof surface.

- **Technical Descriptions & Specification of Required RCC Precast/Pre-stressed compound Boundary walls:-**

| S. N. | Description |
|---|---|
| 1. | Height 9 (nine) feet out of which 2 (two) foot below the ground level and 7 (seven) feet above ground level. The concertina wire installation above the wall should be provided. |
| 2. | RCC Precast Pre-Stressed Plank (2100 mm x 300 mm x 50 mm) Plank with 4 bars of 3mm HTS Steel. |
| 3. | Minimum required Grade of Concrete M30. |
| 4. | RCC Precast Pre-Stressed Column (175 mm x 175 mm) Column with 7 bars of 3mm HTS Steel. |

| | |
|---|---|
| 5. | Minimum depth of Column 2 (two) feet below final ground level. |
| 6. | Installation, unloading, levelling, excavation and fixing with other materials required for footing. |
| 7. | Footing concreting will be of M:20 grade with footing size of 650 x 650 x 600 mm. |
| 8. | Total Column Height minimum 9 ft (minimum 2 ft footing). |

- **Specifications/Layout:-**


Construction of RCC Precast/Pre-stressed compound Boundary walls in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab.

3mm PPC steel- High-tensile per set, with the stressing system (4-pieces in each panel)

Height: 300mm

Length: 2100mm

Thickness: 50mm




Column / Post Specification 3mm PCC Steel-High-tensile with Stressing System (7-pieces in each column)

Length of the column 2100mm

175×175 mm width

- **Technical Specification for Installation of Concertina Wire on RCC Precast/Pre-stressed compound boundary wall:-**

## 1. Scope of Work:-

The work shall include the supply, installation, testing, and commissioning of concertina wire over the RCC Precast/Pre-stressed compound boundary wall, including all supporting brackets, fasteners, and accessories required for a complete installation. The installation of concertina wire should be spiral type using Y-shaped brackets.

## 2. Concertina Wire:-

* Type: Galvanized Razor Concertina Wire.
* Coil Diameter: 600 mm to 700 mm.
* Wire Diameter (Core): 2.5 mm ± 0.1 mm.
* Razor Blade Thickness: 0.5 mm.
* Blade Material: Hot-dip galvanized steel sheet.
* Blade Spacing: Approximately 34–35 mm.
* Tensile Strength: Minimum 1200 MPa.
* Zinc Coating should include: a) Wire: Minimum 230–275 GSM, b) Blade: Minimum 120 GSM, c) Number of Loops per Coil: 50–56 and d) Extended Length per Coil: Approximately 10–15 meters.

## 3. Supporting Brackets:-

* Material: Hot-dip galvanized mild steel angle or pipe.
* Angle Size: 50 × 50 × 5 mm.
* Height Above Wall: 450–600 mm.
* Bracket Spacing: Maximum 2.5 metres centre-to-centre.
* Finish: Hot-dip galvanized or epoxy-coated.

## 4. Fixing Arrangement:-

* Brackets shall be securely fixed using:
* Chemical anchors or, M12 galvanized anchor bolts (minimum).
* Minimum embedment depth: 100 mm. All fasteners shall be galvanized or stainless steel.

**5. Installation:-**

* Concertina coils shall be stretched uniformly.
* Adjacent coils shall be interconnected using galvanized clips or stainless-steel tying wire at every alternate loop.
* Three galvanized line wires (2.5 mm diameter) shall be provided to support the concertina.
* No sagging or loose coils shall be permitted.
* The installation shall ensure continuous protection without gaps.

**6. Corrosion Protection:-**

* All steel components shall be hot-dip galvanized in accordance with relevant Indian Standards.
* Any damaged galvanized surface shall be repaired using zinc-rich paint.

**8. Quality Standards:-**

Materials shall conform to applicable Indian Standards, including: IS 280 – Mild Steel Wire, IS 4759 – Hot-Dip Zinc Coatings & IS 2062 – Structural Steel (for brackets).

**Other Technical Specifications:**


1. Angle Size: The angle used shall be of size 50 × 50 × 5 mm.
2. Concrete in Footing: M25 grade concrete shall be used for the footing.
3. Expansion Joints: Expansion joints shall be provided at every 50 feet interval.
4. Earthwork and Compaction: The earth shall be properly levelled, watered as required, and compacted to achieve a firm and uniform surface before commencement of further work.
5. Concertina Wire: The concertina wire coil shall have a diameter of 600-700 mm.
6. Y-Section Angle: The Y-section shall be fabricated using 50 × 50 x 5 mm angle.
7. Y-Section Fixing: The Y-section shall be securely fixed using a 75 x 75 x 5 mm base plate with 12mm diameter anchor bolts.
8. Rebound Hammer Test: The successful bidder shall submit a Rebound Hammer Test


Report for the entire boundary wall as evidence of the quality and strength of the concrete work. The testing shall be carried out as per applicable standards.

9. Y-Section arm length: 600 mm
10. Angle between Y-Section arms: 95°-100°
11. Base plate hole diameter: 14 mm for M12 anchor bolt.
12. Anchor bolts: M12, 2 Nos. per Y-angle.
13. Hot-dip galvanised finish for the Y-section.
14. 150 mm vertical portion below the Y-section.
15. Precast column size: 175 × 175 mm

- **Drawing/Layout:-**





**Footing Type-** Isolated Footing

- **Drawing/Layout:-**



- **Drawing/Layout:-**



PUNJAB AGRO

# Punjab Agri Export Corporation Limited

**Plot No. 2-A, Sector: 28-A, Madhya Marg, Chandigarh 160002**
**Ph: 0172-2656242, 5074210, Fax: 0172-2656270**
**Website: www.punjabagro.gov.in & CIN No. U51909CH1997SGC019321**

**ANNEXURE-'II'**

## Commercial Bid

**Name of Work:** For the Construction of RCC Precast/Pre-stressed compound Boundary walls in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab.

| S N | Particulars | Cost |
|---|---|---|
| 1. | Rate for the Construction of RCC Precast/pre-stressed compound Boundary walls in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab. | Cost (Inclusive of all taxes, GST, duty, etc. complete in all respects)<br>Rs. In Figures .....<br>Rs. In Words (Rupees .....<br>..... only). |
| 2. | Rate for Supply & Installation of Concertina Wire be setup on the Precast boundary Precast/pre-stressed compound Boundary walls in approx. 7000 meters running area at Village Ladhowal, District Ludhiana, Punjab. | Cost (Inclusive of all taxes, GST, duty, etc. complete in all respects)<br>Rs. In Figures .....<br>Rs. In Words (Rupees .....<br>..... only). |

**(Signature of authorized person with stamp)**

PUNJAB AGRO

## ANNEXURE – 'III'

## UNDERTAKING BY MANUFACTURER/PRINCIPAL

TO

_____

_____

_____

**Ref No:** _____

**Dated:** _____

**Subject:-** **Undertaking for after sales service till the date of warranty.**

We, M/s. _____ who are established and reputable manufacturers/supplier of _____ _____ have authorized M/s. _____ for _____.

Further, we have authorized M/s. _____ to bid, negotiate and conclude the Tender formalities with you against Tender No: _____ for the above equipment(s) manufactured by us.

Further, we undertake that in case dealership/distributorship is withdrawn after supply of equipment then we will be responsible for after sales service till the date of guarantee/warranty.

Yours faithfully,

**For & on behalf of M/s.**

_____

**(Name of Manufacturer/Principal)**

**Seal**